

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade names: AZOSPRAY

Product code: 81120

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of Substance / Preparation: Hard surface disinfectant spray

1.3 Supplier's details

Company name Vernacare HCS Ltd

Address 1 Western Avenue

Matrix Park Chorley Lancashire PR7 7NB UK

Number +44 (0) 1772 299900

Fax +44 (0) 1772 299901

Email raqa.hcs@vernacare.com

1.4 Emergency telephone number

+44 (0) 1772 299900

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1 Classification of the substance or mixture

2.1.1 Regulation (EC) No. 1272/2008 (CLP) Category 2, H225: Highly flammable liquid and

vapour.

Category 2, H319: Causes serious eye irritation. Category 3, H336: May cause drowsiness or

dizziness.

2.2 Label elements

2.2.1 Label elements According to Regulation (EC) No. 1272/2008

(CLP)

GHS Product Identifier AZOSPRAY

SDS-06-0005 Rev06 31-MAY-2018 Page 1 of 7





Hazard Pictogram(s)

Signal Word(s)

Hazard Statement(s)

Precautionary Statement(s)

Danger

H225: Highly flammable liquid and vapour.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness. P210: Keep away from heat/sparks/open

flames/hot surfaces. – No smoking. P261: Avoid breathing vapours. P264: Wash hands thoroughly after

handling.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable

for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue

rinsing.

P337+P313: If eye irritation persists: Get

medical advice/attention.

P403+P235: Store in a well ventilated

place. Keep cool

P233: Keep container tightly closed.

2.3 Other hazards

Not classified as PBT or vPvB.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous Ingredient(s)	%W/W	CAS No.	EC No.	EC Classification (1272/2008)
Propan-2-ol	70	67-63-0	200-661-7	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336

4. FIRST AID MEASURES

4.1 Description of first aid measures

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If medical irritation persists get medical advice/attention.



Skin Contact: Wash skin with water.

Inhalation: If breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing.

Ingestion: If swallowed, rinse mouth with water (only if the person is conscious). Make victim drink

plenty of water. Do not induce vomiting. Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

May cause irritation.

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Water spray, dry powder or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Vapour may create explosive atmosphere.

Hazardous decomposition product(s): Carbon monoxide, Carbon dioxide

5.3 Advice for fire-fighters

Special protective equipment and precautions for fire fighters:

Use self-contained breathing apparatus. Wear fire/flame resistant/retardant clothing.

Cool affected area quickly with water.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Provide adequate ventilation to avoid buildup of vapours. Keep away from heat and sources of ignition. Avoid contact with eyes. Do not breathe mist/vapours/spray.

6.2 Environmental precautions

Small spillages: No special measures are required.

Large spillages: Do not discharge waste and/or cleaning water via public sewer system. Avoid release to the environment.

6.3 Methods and materials for containment and cleaning up

Allow small spillages to evaporate provided there is adequate ventilation.

Contain and adsorb large spillages onto an inert, non flammable adsorbent carrier. Transfer to a container for disposal or recovery.

SDS-06-0005 Rev06 31-MAY-2018 Page 3 of 7



7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice for safe handling: Keep container closed when not in use. Avoid contact with skin and eyes. Do not breathe vapour/spray. Ensure adequate ventilation.

Hygiene Measures: Wash hands before breaks and after work. Do not eat, drink or smoke at the work place.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a cool place. Keep away from heat and sources of ignition. Keep away from oxidising agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 PNECs and DNELs

Propan-2-ol

DNEL	Oral	Inhalation	Dermal
Industry - Long Term – Systemic effects	No data	500 mg/m ³	88 mg/kg/day
Consumer - Long Term - Systemic effects	26 mg/kg/day	89 mg/m ³	319 mg/kg/day

	PNEC
Water	140.9 mg/l
Soil	28 mg/kg

8.2 Exposure controls

8.2.1 Appropriate engineering controls None assigned

8.2.2 Personal protection equipment

Skin protection (Hand protection/ Other) Gloves. Wash hands before breaks and after

work.



Respiratory protection In case of inadequate ventilation wear



respiratory protection.

8.2.3 Environmental Exposure Controls

Large spillages: Do not discharge waste and/or cleaning water via public sewer system. Avoid release to the environment.

Propan-2-ol

Liquid

Colourless.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and

chemical properties
Appearance
Colour.

SDS-06-0005 Rev06 31-MAY-2018 Page 4 of 7



Odour Alcohol-like.
Odour Threshold (ppm) No data
pH (Value) Neutral

Melting Point (°C)

Boiling point/boiling range (°C):

Ca. -89.5 °C

ca. -82 °C

Flash Point (°C)

Evaporation Rate

Ca. -89.5 °C

ca. -82 °C

ca. 12 °C

No data

Flammability (solid, gas) May form explosive mixture with air particularly

in enclosed spaces. ca. 12 % (V) / ca. 2 % (V)

Upper/lower flammability or explosive

limits

 $\begin{array}{lll} \text{Density} & (\text{g/ml}) & 0.785 - 0.875 \, \text{g/cm}^3 \\ \text{Solubility} & (\text{Water}) & \text{Completely miscible with water.} \\ \text{Partition Coefficient (n-Octanol/water)} & \text{Log Kow } 0.05 \, (\text{OECD}) \end{array}$

Auto Ignition Point (°C) ca. 425 °C

Decomposition Temperature (°C) No data

Viscosity (mPa. s) No data

Explosive properties Not explosive

Oxidising properties No data

9.2 Other information

No data

10. STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.

10.2 Chemical stability Stable.

10.3 Possibility of hazardous reactions Reacts violently with - Acids. Oxidizing agents.

10.4 Conditions to avoid Heat.

10.5 Incompatible materials Strong oxidising agents. Acids.

10.6 Hazardous decomposition product(s) Carbon dioxide, Carbon monoxide

11. STABILITY AND REACTIVITY

11.1 Information on toxicological effects

11.1.2 Mixtures

Acute toxicity
Irritation
Corrosivity
Sensitisation
Repeated dose
LD50 5840mg/kg (rat)
Skin. None known.
Eyes. 13900 mg/kg (rabbit)
None known.
No data

Carcinogenicity No evidence of carcinogenicity.

Mutagenicity No evidence of genotoxicity.

Toxicity for reproduction No evidence of genotoxicity.

SDS-06-0005 Rev06 31-MAY-2018 Page 5 of 7



12. ECOLOGICAL INFORMATION

12.1 Toxicity Fish. 9640 mg/l

12.2 Persistence and degradability No data

12.3 Bioaccumulative potential None known

12.4 Mobility in soilThe product is predicted to have high mobility in

soil. (Propan-2-ol)

12.5 Results of PBT and VPVB assessment Not classified as PBT or vPvB.

12.6 Other adverse effects None known

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Disposal should be in accordance with local,

state or national legislation.

14. TRANSPORT INFORMATION

Transport hazard class(s).

LQ (limited Quantities) refers to small receptacles (typically of the sort that go into the retail distribution chain) which are packed in boxes or on shrink-wrapped trays. The principle behind LQ is that an acceptable level of safety is assured providing the receptacles are in a box or shrink-wrapped tray. Subject to those conditions being met, no other requirements of ADR apply. The containers used for this material do not exceed maximum volume (I liter) for such limited quantities.

14.1 UN Number 1219

14.2 Shipping Name Isopropanol (Isopropyl Alcohol)

14.3 Hazard Class for Transportation Class 3

14.4 Packing Group


14.5 Environmental hazard Refer to section 12

14.6 Special precautions Retain within shipper. Refer to section 7.2

14.7 Bulk Transport In compliance to ADR, Jan 2013 there are requirements to

mark certain transport units when carrying more than 8 tonnes

of LQ packages; refer to symbol below.



SDS-06-0005 Rev06 31-MAY-2018 Page 6 of 7



15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU regulations

Authorisations and/or Restrictions On 92/85/EEC. 1907/2006/EC

Use

15.1.2 National regulations Observe Local Regulations.

15.2 Chemical Safety Assessment No data

16. OTHER INFORMATION

Additional Information

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vernacare HCS Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vernacare HCS Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

SDS-06-0005 Rev06 31-MAY-2018 Page 7 of 7